



*From the MixCache.com library*

SAMPLE COPY

# Coastal Dune and Saltmarsh Natives

MixCache.com

SAMPLE COPY

## Table of Contents

- **Introduction**
- **Chapter 1** The Coastal Edge: How Dunes and Saltmarshes Work Together
- **Chapter 2** Wind, Waves, and Salt: Abiotic Drivers of Coastal Plant Communities
- **Chapter 3** Functional Plant Groups and Ecological Roles in Dunes and Marshes
- **Chapter 4** Dune Pioneers: Grasses and Forbs that Capture and Build Sand
- **Chapter 5** Saltmarsh Foundation Species: Cordgrasses, Rushes, and Succulents
- **Chapter 6** Regional Plant Palettes: Atlantic, Gulf, Pacific, and Island Coasts
- **Chapter 7** Site Assessment: Elevation, Inundation, Soils, and Salinity Gradients
- **Chapter 8** Setting Goals: Designing for Resilience, Habitat, and Risk Reduction
- **Chapter 9** Dune Stabilization Techniques: Fencing, Brush, and Sand Trapping
- **Chapter 10** Planting Dunes: Layouts, Spacing, Seasonality, and Aftercare
- **Chapter 11** Saltmarsh Revegetation: Tidal Windows, Creek Edges, and Panne Recovery
- **Chapter 12** Living Shorelines: Typologies, Suitability, and Siting
- **Chapter 13** Biogenic Breakwaters: Oyster Reefs and Coir Structures in Practice
- **Chapter 14** Restoring Hydrology and Sediment Pathways
- **Chapter 15** Invasive Species Management and Nuisance Wildlife Considerations
- **Chapter 16** Propagation and Nursery Production of Coastal Natives
- **Chapter 17** Seed Sourcing, Genetic Diversity, and Climate-Smart Provenancing
- **Chapter 18** Construction and Access: Staging, Erosion Controls, and Safety
- **Chapter 19** Permitting, Policy, and Interagency Coordination
- **Chapter 20** Community Science, Volunteers, and Stewardship Models
- **Chapter 21** Monitoring and Adaptive Management: Metrics, Methods, and Triggers
- **Chapter 22** Mapping and Remote Sensing: Drones, Imagery, and GIS Workflows
- **Chapter 23** Maintenance and Storm Recovery: Rapid Response and Repairs
- **Chapter 24** Case Studies: Urban, Rural, and Tribal Shorelines
- **Chapter 25** Funding, Costs, and Scaling Nature-Based Solutions

## Introduction

Coasts are living systems, constantly reshaped by wind, waves, tides, and the pulse of storms. Along this dynamic edge, dunes and saltmarshes act as biological infrastructure—capturing sand, attenuating waves, storing carbon, and providing habitat for fish, birds, and invertebrates. The native plants that anchor these landscapes have evolved to tolerate salt spray, shifting substrates, and periodic flooding. By understanding their adaptations and ecological roles, we can design restoration projects that work with, not against, coastal processes.

This book focuses on coastal dune and saltmarsh natives, and on the practical techniques that help these species establish, spread, and perform. It synthesizes field-tested methods for dune stabilization, saltmarsh revegetation, and living shorelines, pairing them with clear decision frameworks. Whether you manage shoreline assets, lead volunteer crews, or design with nature as a landscape architect, you will find step-by-step guidance on site assessment, plant selection, construction logistics, and long-term care. We emphasize solutions that are scalable, cost-aware, and rooted in local ecology.

Effective restoration begins with reading the site. Elevation relative to tides, sediment supply and transport, salinity gradients, and the presence of wrack, channels, and pannes all shape what will succeed. Native plants are not interchangeable: dune pioneers such as beach grasses trap wind-blown sand and build elevation; high-marsh succulents tolerate longer droughts and higher salinity; cordgrasses knit low marsh edges where currents are strongest. Matching species to microhabitats—then aligning techniques with natural dynamics—turns plantings into self-reinforcing systems.

Living shorelines extend this thinking by integrating vegetation with low-profile structures that reduce erosion while maintaining habitat and tidal exchange. Properly sited, these approaches can outperform hard infrastructure in ecological value and, over time, in resilience and cost. Still, there is no one-size-fits-all design. We present typologies, suitability criteria, and examples that clarify when to use sand fencing and brush bundles, when to restore hydrology, when to enlist oyster or mussel reefs, and when strategic retreat or sediment augmentation is the wiser path.

People are as essential as plants. Restoration relies on partnerships among agencies, tribes, municipalities, NGOs, private landowners, and volunteers. This book offers tools for building those partnerships: safety and access plans, crew-friendly planting layouts, stewardship programs, and monitoring protocols that empower community scientists. We also address permitting pathways and policy contexts so that compliance supports, rather than stalls, good design.

Finally, we treat projects as adaptive experiments. Clear objectives, baselines, and metrics—paired with monitoring and predefined triggers—allow teams to learn and adjust as conditions change. We include guidance on using drones and remote sensing to map vegetation and morphology, budget templates to forecast costs, and case studies that candidly show what worked, what failed, and why. Our aim is to help you restore and protect fragile coastal ecosystems with humility, rigor, and hope—growing living shorelines that can keep pace with the future.

SAMPLE COPY

## CHAPTER ONE: The Coastal Edge: How Dunes and Saltmarshes Work Together

The coastal edge stitches land to sea with patterns that repeat at many scales, often without fanfare. On a low spring tide, you can step across the foreshore and find dunes rising like ruffled pillows behind a ribbon of saltmarsh that darkens where peat holds water. The same winds that scour the dune face later comb cordgrass blades in the marsh, while tides shuttle wrack, seeds, and nutrients between them. This reciprocity is not decorative; it is structural. Dunes blunt wave energy before it reaches the marsh edge, and marshes bleed hydraulic punch while trapping fines that dunes need to prograde. Understanding how they trade tasks helps us see why piecemeal fixes so often leak.

Coasts teach patience by erasing haste. Anyone who has watched a blowout expand overnight knows that sand moves even when the air is still, creeping along footpaths and across roads like a polite thief. Saltmarshes advance and retreat in subtler rhythms, rising with sediment delivered on flood tides, sagging when flows slacken or wakes chop edges. Plants mediate these exchanges by slowing flow, capturing particles, and knitting soils with roots that die and refill with organic matter. The result is a living machine that tolerates shocks better than most concrete solutions, provided the parts remain in contact and the machine is allowed to respire.

Elevation sets the rules of engagement along this edge. Dunes crest above ordinary tides but still drink salt spray, while low marshes spend more time submerged than exposed and can choke if drainage falters. Between them lies a transition zone where brackish pulses and freshwater lenses tussle, a place where plant choices pivot on small differences in height that translate to large differences in stress. Misreading these gradients invites costly mismatch, like planting marsh obligates on a dune face that dries between storms or expecting dune grasses to thrive where tide gates keep soils waterlogged.

Wave climate steers sediment like a conductor directs strings. Short, steep wind waves push sand onshore in pulses that dunes hoard, while longer boat wakes and ship waves comb marshes sideways, undercutting edges and carving runnels that spread like veins. When storms arrive, the choreography intensifies: surge overwashes low dunes, and marsh platforms become conduits that redistribute energy inland. Afterward, the system settles into repair, sending roots to stabilize slumps and stems to trap new wrack lines that jump-start succession. Design that ignores this rhythm tends to crack under pressure.

Tides are the metronome. Twice daily they flush salts, deliver plankton, and oxygenate muds that would otherwise sour. In restricted harbors or behind aging bulkheads, tides grow listless, and marshes pay the price with sulfide smells and poor recruitment. On open coasts, robust tides keep channels scoured and ponds refreshed, but they also demand respect at planting time; a crew that arrives at low slack may miss the window before flood scours seedlings away. Learning to work with tidal cadence means planting when water assists rather than removes, and accepting that some sites need hydrologic tuning before plants can lead.

Salt spray is both tonic and torment. It suppresses competitors, preserves soil structure by discouraging earthworms that destabilize dune soils, and delivers sodium that some plants shunt into vacuoles or excrete through glands. Yet too much salt lingers on leaves and scours cuticles, and repeated inundation can tip the balance from adaptive to injurious. Native species survive by budgeting their salt like a careful household budgets cash, storing, excreting, or excluding as needed, then leaning on fungal partners to scavenge water when osmotic pressure climbs.

Sand movement is the currency of dunes. Pioneers invest in rhizomes and stolons that pay dividends across seasons, holding loose grains until organic matter accrues and moisture retention improves. Each captured dune ripple translates to higher elevation, which buys breathing room against future storms and creates microsites for forbs that cannot survive the windblown scouring of the fore dune. The process is recursive: stability enables complexity, and complexity deepens stability, provided sediment supply keeps pace and disturbance does not reset the ledger too often.

Marshes bank elevation differently, relying on mineral sediment plus peat to outrun sea level rise. When currents drop load in slack water, fine particles sift onto stems and lodge among roots, building the marsh platform millimeter by millimeter. Meanwhile, belowground biomass turns over, adding organic matter that resists compression and retains moisture like a sponge. If sediment supply falters, marshes subside; if supply surges, they can accrete rapidly and shift from low to high marsh as drainage improves. The balance is delicate, trackable with simple rods or sophisticated sensors, and responsive to upstream land use and channel geometry.

Hydrologic pathways knit dunes and marshes into a single system. Overland flow from dune swales can feed marsh creeks after rains, delivering freshwater pulses that dilute salinity and flush sulfides. Conversely, marsh tides can inundate dune footslopes during extreme events, depositing wrack and seeds that enrich dune flora and accelerate recovery. Block these exchanges with roads or berms, and both systems fray; restore them with culverts or bridge spans sized for storm flows, and resilience tends to rebound.

Vegetation feedbacks amplify these connections. Dune grasses slow wind at the

surface, causing airborne salts to settle onto marsh grasses downwind, subtly shifting competitive balances. Marsh plants damp wave energy before it reaches dune toes, reducing scouring that would otherwise undermine root plates. When dunes migrate landward after storms, they may bury marsh edges, but those same marshes often supply propagules that recolonize new dune swales, restarting the cycle. The choreography is messy, overlapping, and productive.

Disturbance resets parts of the system without collapsing the whole. Blowouts form, fill, and heal; creek banks slump and reform; wrack mats smother stems then feed them. Each reset offers opportunities for recruitment if seed sources and transport corridors remain intact. Overmanagement can sterilize these dynamics, producing tidy but brittle shorelines that lack the adaptive capacity of messier, more diverse edges. A wise approach leaves room for patches, gaps, and pulses that let natural processes do the heavy lifting.

Human infrastructure tests the coastal edge. Boardwalks, groins, and bulkheads alter currents, shadows, and sediment pathways in ways that cascade through dunes and marshes. Even well-meaning stairs can concentrate foot traffic and create desire lines that bypass vegetation. The edge responds by narrowing, steepening, or shifting its net position until equilibrium reasserts itself, often at higher cost and lower ecological function. Understanding these cause-and-effect chains helps us design interventions that do not starve one system to feed another.

Climate change is tilting the balance. Rising seas lift baseline water levels, so marshes need more sediment to keep their heads above water, and dunes must migrate inland or grow taller to maintain their protective stature. Storms may intensify, bringing more energetic waves and salt spray farther inland, testing the buffering capacity of both systems. At the same time, precipitation patterns may shift, altering freshwater inputs and salinity regimes in ways that favor some natives over others. The edge will adapt, but the pace and direction of that adaptation will depend on sediment supply, space to move, and the diversity of plant traits in the toolkit.

Observing the edge closely reveals its grammar. Tracks of crabs trace pulse flows, lines of driftwood map flood extents, and subtle changes in grass color flag salinity gradients and moisture stress. These clues help practitioners match species to microsites, time work to tides, and avoid planting into zones where hydrology will soon shift. Field literacy turns abstract concepts into actionable knowledge and reduces costly missteps that can set projects back years.

Communities shape the edge, too. Fishing access, cultural uses, and aesthetic preferences influence where people allow sand to accumulate or marshes to spread. Stewardship programs can harness local knowledge to detect change early and mobilize crews when storms strike. When residents understand that dunes and marshes work together to reduce flood risk and support fisheries, they often become

more tolerant of temporary messiness and more patient with restoration timelines.

Policy threads weave through the edge as well. Permitting pathways treat dunes and marshes differently, reflecting their distinct regulatory histories and ecological values. Understanding these distinctions helps teams sequence work so that marsh restoration does not jeopardize dune permitting, and vice versa. It also clarifies which activities need buffer zones, seasonal restrictions, or compensatory mitigation, allowing projects to proceed without surprise delays.

The goal is not to freeze the edge in a single configuration but to sustain its capacity to adapt. Dunes that can roll landward, marshes that can accrete vertically, and connections that allow pulses and particles to move between them create a resilient whole. Plants are the linchpin, but they need the right setting, timing, and care to perform. By studying how dunes and saltmarshes work together, we learn to design with their synergies rather than against their frictions.

On many shores, this synergy is visible in the way light catches dune crests at dawn while herons stalk marsh channels below. The contrast is striking, yet the systems are interdependent. One tempers wind while the other softens water; one builds elevation from air while the other builds it from flow. Together they compress risk into resilience, and they do it with quiet competence that belies the complexity underneath.

Field crews who internalize this relationship begin to spot leverage points. A cluster of wrack at the dune toe can be left to feed the system instead of being carted away. A small breach in a marsh edge might be widened to improve flushing rather than repaired with rock. Sand fencing set slightly farther back can encourage dune migration without blocking marsh access. These fine adjustments accumulate into projects that feel less like construction and more like cultivation.

The edge also offers lessons in scale. Local actions such as removing a single boardwalk piling can restore tidal flow to acres of marsh, while regional sediment deficits may require coordinated nourishment to keep dunes from starving. Recognizing which problems are local and which are systemic helps allocate effort where it matters most and avoids over-engineering solutions that create new problems downstream.

Science supports this pragmatism. Studies of sediment transport, root tensile strength, and salt tolerance thresholds provide guardrails for decision-making, but they rarely prescribe exact recipes. Instead they offer ranges and probabilities that let us hedge our bets. By pairing this knowledge with observation and iteration, we can steer projects toward durable outcomes without demanding perfect foresight.

Finally, the coastal edge reminds us that working lands require working ecologies.

Fisheries, recreation, storm protection, and cultural values all lean on the same dunes and marshes that botanists study and managers map. Restoring these systems is not an aesthetic indulgence but a practical investment in risk reduction and resource stability. The plants that thrive there are specialists in toughness, and the practices that help them succeed are specialists in leverage.

As we move into the rest of this book, we will unpack the specifics of wind and waves, species and strategies, tools and timelines. But the foundation remains this: dunes and saltmarshes are not separate puzzles to be solved in isolation. They are partners in a shared enterprise of buffering, building, and breathing along the edge. Keep that partnership in mind, and the details that follow will fall into place as parts of a coherent whole rather than isolated chores.

SAMPLE COPY

*This is a sample preview. Purchase the book to read the full content.*

Visit [MixCache.com](https://MixCache.com) to purchase the complete book.

SAMPLE COPY